Authorization Policy Specification and Enforcement for Group-Centric Secure Information Sharing

Ram Krishnan and Ravi Sandhu University of Texas at San Antonio

Problem

2 phases in access control system design



- How do we know 1 and 2 are consistent?
 - That is, that they have the same behavior wrt authorization state

Goal

- Investigate a methodology to show consistency
- Approach
 - Pick a specific application domain
 - Design a "stateless" policy specification
 - Develop a "stateful" enforcement specification
 - Show authorization equivalence

Stateless Policy Specification

- Focus on conditions under which authorization should hold
- History of actions that can lead to access
 - E.g. Alice can access an object if in the past she had paid membership dues up to current time
- Linear Temporal Logic (LTL)
 - Excellent fit to specify stateless policies

First-Order Linear Temporal Logic

- Extends familiar first-order logic with temporal operators
- Consider "Henceforth" and "Since" operators



Application Domain Group-centric secure information sharing (g-SIS)

Group-centric Secure Information Sharing (g-SIS)



Group Operation Semantics

- Strict Vs Liberal operations
 - User operations (SJ, LJ, SL, LL)
 - Object operations (SA, LA, SR, LR)



The π -System g-SIS Specification (contd)



Well-formedness constraints rule out invalid tracesExamples: 1. user joining and leaving in the same state2. leaving before joining

Stateful Specification

• Consists of three modules



- Module 2 maintains and manages data structures
 - Keeps track of historical joins and leaves and adds and removes for users and objects
- Module 3 consults with that data structure

Mapping Stateless and Stateful



$Authz_{stateful} \leftrightarrow Authz_{stateless}$

- Lemma 3
 - for every trace in stateless, an alpha-mapped action trace exists in stateful
- Lemma 4
 - for every trace in stateful, a beta-mapped action trace exists in stateless
- Lemmas 3 and 4 together prove authorization equivalence

Future Work

- We assumed a centralized, ideal situation
- Distributed enforcement model (PIPs, PDPs, PEPs, etc.)
 - Next step towards real policy enforcement
 - Proving equivalence is very difficult
 - E.g. staleness of authorization info due to network delay
- Stale-safe equivalence with respect to centralized specification feasible
 - E.g. in the presence of stale information, a user should be authorized for an action only if it was authorized using accurate information in the recent past
- Currently investigating for g-SIS application